

GWANDA STATE UNIVERSITY

EMR/EMI2101

FACULTY OF ENGINEERING AND ENVIRONMENT

DEPARTMENT OF METALLURGICAL/MINING ENGINEERING

EMR/EMI2101: ENGINEERING MATHEMATICS III

JANUARY 2019 EXAMINATION

Time : 3 hours

Candidates should attempt **ALL** questions from **Section A** (40 marks) and **ANY THREE** questions from **Section B** (20 marks each).

SECTION A: Answer ALL questions in this section [40].

A1. Find $\int_c \mathbf{F} \cdot d\mathbf{c}$ for $F(x, y) = -y\hat{i} + x\hat{j}$ where $c = \cos t \hat{i} + 2 \sin t \hat{j}$, $0 \leq t \leq \frac{\pi}{2}$. [5]

A2. (a) Evaluate the integral $\int_{-2}^0 \int_0^{\sqrt{4-x^2}} \int_0^5 x \, dz dy dx$. [5]

(b) Sketch the region R in the xy plane bounded by the curves $y^2 = 2x$ and $y = x$, and find its area. [8]

A3. Compute $\int_c \mathbf{F} \cdot d\mathbf{r}$ for $F(x, y) = \hat{i} - y\hat{j}$ where C is part of a circle of radius 3 in the first quadrant from (3, 0) to (0, 3). [5]

A4. (a) By finding the Fourier series the square wave

$$f(x) = \begin{cases} +1, & \text{if } 0 \leq x \leq \pi \\ 0, & \text{if } -\pi \leq x \leq 0 \end{cases}$$

$f(x + 2\pi) = f(x)$, find an expression for π . [5]

- A5.** (a) Let D be the region bounded by the unit cube defined by $0 \leq x \leq 1$, $0 \leq y \leq 1$, $0 \leq z \leq 1$. Verify the divergence theorem if $F = xy\hat{i} + yz\hat{j} + xz\hat{k}$. [6]
- (b) State the Green's theorem. [2]
- (c) Show that the force $\mathbf{F} = (4xy + 3x^2z^2)\hat{i} + 2x^2\hat{j} + 2x^3z\hat{k}$ is a conservative force field. [4]

SECTION B: Answer THREE questions in this section [60].

- B6.** (a) Find the volume of the region B bounded by the sphere $x^2 + y^2 + z^2 = a^2$ and below by the plane $z = b$, where $a > b > 0$. [8]
- (b) Evaluate the integral $\int_0^1 \int_{\sqrt{3}y}^{\sqrt{4-y^2}} \sqrt{x^2 + y^2} dx dy$. [5]
- (c) Find the mass of the 3D region B given by $x^2 + y^2 + z^2 \leq 4$, $x \geq 0$, $y \geq 0$, $z \geq 0$, if the density is equal to xyz . [7]

- B7.** (a) Sketch the graph $f(x)$, in the interval $-2\pi \leq x \leq 2\pi$ where

$$f(x) = \begin{cases} x, & \text{if } 0 \leq x \leq \pi \\ \pi, & \text{if } \pi \leq x \leq 2\pi \end{cases}$$

and has a period of 2π [2]

- (b) Derive the coefficients a_0, a_r, b_r , ($r = 1, 2, 3, \dots$) for a general Fourier series. [10]
- (c) By finding the Fourier series of $f(x) = |x|$, $-2 \leq x \leq 2$, $f(x+4) = f(x)$ show that $\pi^2 = 8 \left(1 + \frac{1}{9} + \frac{1}{25} \dots \right)$ [8]

- B8.** (a) Compute the line integral $\int_C \mathbf{F} \cdot d\mathbf{s}$ for the path $c(t) = (t^2, t^3, t)$ with $0 \leq t \leq 1$ and vector field $F(x, y, z) = x\hat{i} + z\hat{j} + x\hat{k}$. [5]
- (b) Compute the line integral $\int_c zdx + ydy + xdz$ for the path $c(t) = (e^{t^2}, \ln(t+1), \cos(t))$ with $0 \leq t \leq 1$. [5]
- (c) Evaluate $\int \int_R (x-y)\sqrt{(x+y)}dA$ where R is the parallelogram with vertices $(0, 0)$, $(-1, 1)$, $(2, 4)$ and $(3, 3)$ by using the change of variables $u = x - y$ and $v = x + y$. [10]

- B9.** (a) Verify the divergence theorem over S for $\mathbf{F} = x\hat{i} + y\hat{j} + (z - 1)^2\hat{k}$, where S is the region bounded by the hemisphere $x^2 + y^2 + (z - 1) = 9$ in the plane $z = 1$. [7]
- (b) Use Green's theorem to evaluate the following integral
$$\oint_C (x^4 - 2y^3)dx + (2x^3 - y^4)dy$$
 where C is circle $x^2 + y^2 = 4$. [6]
- (c) Verify Stoke's theorem for $\mathbf{F} = (2x - y)\hat{i} + yz^2\hat{j} + y^2z\hat{k}$ over S , where S is the upper half plane of the sphere $x^2 + y^2 + z^2 = 1$. [7]

END OF QUESTION PAPER